





7. POMPE SUBMERSIBILE SUB4X






Caracteristici conform ISO 9906, clasa 2





| MODEL | | Dimensiuni | | | | | Motor | | | | | COD | PREȚ |
|---|---|------------|--------|--------|--------|--------|-----------------------------|-------|---------|--------------|-----------|------------|------|
|  | n | DN | ø max | A | B | C | 3× 400 V, 50 Hz, 2900 1/min | | | Carcasă flux | | | |
| | | | | | | | P2 | I N | ø | vertical | orizantal | | |
| | | ["] | [mm] | [mm] | [mm] | [mm] | [kW] | [A] | [mm2] | | | | |
| SUB4X 1-5 | n | 1 1/4" | 97 | 295 | 214 | 509 | 0.25 | 0.7 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700005 | 488 |
| SUB4X 1-8 | n | 1 1/4" | 97 | 362 | 223 | 585 | 0.37 | 1.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700008 | 501 |
| SUB4X 1-12 | n | 1 1/4" | 97 | 452 | 242 | 694 | 0.55 | 1.6 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700012 | 530 |
| SUB4X 1-16 | n | 1 1/4" | 97 | 542 | 270 | 812 | 0.75 | 2.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700016 | 575 |
| SUB4X 1-24 | n | 1 1/4" | 97 | 722 | 298 | 1020 | 1.1 | 3 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700024 | 653 |
| 1× 230 V, 50 Hz, 2900 1/min | | | | | | | | | | | | | |
| SUB4X 1-5E | n | 1 1/4" | 97 | 295 | 242 | 537 | 0.37 | 4.1 | 3 × 1,5 | | | 3104800005 | 532 |
| SUB4X 1-8E | n | 1 1/4" | 97 | 362 | 242 | 604 | 0.37 | 4.1 | 3 × 1,5 | | | 3104800008 | 545 |
| SUB4X 1-12E | n | 1 1/4" | 97 | 452 | 270 | 722 | 0.55 | 6.5 | 3 × 1,5 | | | 3104800012 | 604 |
| SUB4X 1-16E | n | 1 1/4" | 97 | 542 | 299 | 841 | 0.75 | 7.6 | 3 × 1,5 | | | 3104800016 | 636 |
| SUB4X 1-24E | n | 1 1/4" | 97 | 722 | 384 | 1106 | 1.1 | 10.8 | 3 × 1,5 | | | 3104800024 | 775 |


n - Montaj orizontal





| MODEL | | Dimensiuni | | | | | Motor | | | | | COD | PREȚ |
|--|---|------------|--------|--------|--------|--------|-----------------------------|-------|---------|--------------|-----------|------------|-------|
|  | | DN | ø max | A | B | C | 3× 400 V, 50 Hz, 2900 1/min | | | Carcasă flux | | | |
| | | | | | | | P2 | I N | ø | vertical | orizontal | | |
| | | ["] | [mm] | [mm] | [mm] | [mm] | [kW] | [A] | [mm2] | | | | |
| SUB4X 3-4 | n | 1 1/4" | 97 | 312 | 214 | 526 | 0.25 | 0.7 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700104 | 494 |
| SUB4X 3-6 | n | 1 1/4" | 97 | 377 | 223 | 600 | 0.37 | 1.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700106 | 492 |
| SUB4X 3-9 | n | 1 1/4" | 97 | 475 | 242 | 717 | 0.55 | 1.6 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700109 | 513 |
| SUB4X 3-13 | n | 1 1/4" | 97 | 605 | 270 | 875 | 0.75 | 2.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700113 | 551 |
| SUB4X 3-19 | n | 1 1/4" | 97 | 800 | 298 | 1098 | 1.1 | 3 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700119 | 623 |
| SUB4X 3-25 | n | 1 1/4" | 97 | 995 | 327 | 1322 | 1.5 | 4 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700125 | 737 |
| SUB4X 3-32 | n | 1 1/4" | 97 | 1255 | 440 | 1695 | 2.2 | 5.9 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700132 | 934 |
| SUB4X 3-39 | n | 1 1/4" | 97 | 1482 | 440 | 1922 | 2.2 | 5.9 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700139 | 1.079 |
| 1× 230 V, 50 Hz, 2900 1/min | | | | | | | | | | | | | |
| SUB4X 3-4E | n | 1 1/4" | 97 | 312 | 242 | 554 | 0.37 | 4.1 | 3 × 1,5 | | | 3104800104 | 539 |
| SUB4X 3-6E | n | 1 1/4" | 97 | 377 | 242 | 619 | 0.37 | 4.1 | 3 × 1,5 | | | 3104800106 | 539 |
| SUB4X 3-9E | n | 1 1/4" | 97 | 475 | 270 | 745 | 0.55 | 6.5 | 3 × 1,5 | | | 3104800109 | 524 |
| SUB4X 3-13E | n | 1 1/4" | 97 | 605 | 299 | 904 | 0.75 | 7.6 | 3 × 1,5 | | | 3104800113 | 613 |
| SUB4X 3-19E | n | 1 1/4" | 97 | 800 | 384 | 1184 | 1.1 | 10.8 | 3 × 1,5 | | | 3104800119 | 746 |


n - Montaj orizontal





| MODEL | | Dimensiuni | | | | | Motor | | | | COD | | PREȚ | |
|---|-------|------------|------|------|------|-----------------------------|-------|--------------|---------|----------|--------|------------|------|-----------|
|  | DN | ø max | A | B | C | 3× 400 V, 50 Hz, 2900 1/min | | Carcasă flux | | | | | | |
| | | | | | | | P2 | I N | ø | vertical | | | | orizontal |
| | ["] | [mm] | [mm] | [mm] | [mm] | [kW] | [A] | [mm2] | | | | | | |
| SUB4X 5-3 | n | 1 1/4" | 97 | 312 | 214 | 526 | 0.25 | 0.7 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700203 | 473 | |
| SUB4X 5-4 | n | 1 1/4" | 97 | 312 | 223 | 535 | 0.37 | 1.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700204 | 475 | |
| SUB4X 5-6 | n | 1 1/4" | 97 | 377 | 242 | 619 | 0.55 | 1.6 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700206 | 501 | |
| SUB4X 5-8 | n | 1 1/4" | 97 | 442 | 270 | 712 | 0.75 | 2.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700208 | 526 | |
| SUB4X 5-13 | n | 1 1/4" | 97 | 605 | 298 | 903 | 1.1 | 3 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700213 | 592 | |
| SUB4X 5-17 | n | 1 1/4" | 97 | 735 | 327 | 1062 | 1.5 | 4 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700217 | 653 | |
| SUB4X 5-21 | n | 1 1/4" | 97 | 865 | 440 | 1305 | 2.2 | 5.9 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700221 | 894 | |
| SUB4X 5-25 | n | 1 1/4" | 97 | 995 | 440 | 1435 | 2.2 | 5.9 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700225 | 978 | |
| 1× 230 V, 50 Hz, 2900 1/min | | | | | | | | | | | | | | |
| SUB4X 5-3E | n | 1 1/4" | 97 | 312 | 242 | 554 | 0.37 | 4.1 | 3 × 1,5 | | | 3104800203 | 515 | |
| SUB4X 5-4E | n | 1 1/4" | 97 | 312 | 242 | 554 | 0.37 | 4.1 | 3 × 1,5 | | | 3104800204 | 518 | |
| SUB4X 5-6E | n | 1 1/4" | 97 | 377 | 270 | 647 | 0.55 | 6.5 | 3 × 1,5 | | | 3104800206 | 579 | |
| SUB4X 5-8E | n | 1 1/4" | 97 | 442 | 299 | 741 | 0.75 | 7.6 | 3 × 1,5 | | | 3104800208 | 583 | |
| SUB4X 5-13E | n | 1 1/4" | 97 | 605 | 384 | 989 | 1.1 | 10.8 | 3 × 1,5 | | | 3104800213 | 716 | |


n - Montaj orizontal



| MODEL | | Dimensiuni | | | | | Motor | | | | COD | | PREȚ |
|--|-------|------------|--------|--------|--------|-----------------------------|----------|-----------|--------------|-------|--------|------------|-------|
|  | DN | ø max | A | B | C | 3× 400 V, 50 Hz, 2900 1/min | | | Carcasă flux | | | | |
| | | | | P2 | I N | ø | vertical | orizontal | | | | | |
| | ["] | [mm] | [mm] | [mm] | [mm] | [kW] | [A] | [mm2] | | | | | |
| SUB4X 7-4 | n | 2 | 97 | 397 | 242 | 639 | 0.55 | 1.6 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700304 | 509 |
| SUB4X 7-6 | n | 2 | 97 | 503 | 270 | 773 | 0.75 | 2.1 | 4 × 1,5 | Tip 1 | Tip 11 | 3104700306 | 534 |
| SUB4X 7-8 | n | 2 | 97 | 608 | 298 | 906 | 1.1 | 3 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700308 | 587 |
| SUB4X 7-12 | n | 2 | 97 | 818 | 327 | 1145 | 1.5 | 4 | 4 × 1,5 | Tip 2 | Tip 12 | 3104700312 | 693 |
| SUB4X 7-17 | n | 2 | 97 | 1113 | 440 | 1553 | 2.2 | 5.9 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700317 | 972 |
| SUB4X 7-20 | n | 2 | 97 | 1270 | 507 | 1777 | 3 | 7.8 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700320 | 961 |
| SUB4X 7-23 | n | 2 | 97 | 1428 | 507 | 1935 | 3 | 7.8 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700323 | 1.077 |
| SUB4X 7-27 | n | 2 | 97 | 1670 | 583 | 2253 | 4 | 10 | 4 × 1,5 | Tip 3 | Tip 13 | 3104700327 | 1.191 |
| 1× 230 V, 50 Hz, 2900 1/min | | | | | | | | | | | | | |
| SUB4X 7-4E | n | 2 | 97 | 397 | 270 | 667 | 0.55 | 6.5 | 3 × 1,5 | | | 3104800304 | 594 |
| SUB4X 7-6E | n | 2 | 97 | 503 | 299 | 802 | 0.75 | 7.6 | 3 × 1,5 | | | 3104800306 | 592 |
| SUB4X 7-8E | n | 2 | 97 | 608 | 384 | 992 | 1.1 | 10.8 | 3 × 1,5 | | | 3104800308 | 714 |

n - Montaj orizontal



| MODEL | | Dimensiuni | | | | | Motor | | | | | COD | PREȚ |
|---|---|------------|--------|--------|--------|--------|-----------------------------|-----------|---------|--------------|--------|------------|-------|
|  | n | DN | ø max | A | B | C | 3× 400 V, 50 Hz, 2900 1/min | | | Carcasă flux | | | |
| | | P2 | | | I N | ø | vertical | orizontal | | | | | |
| | | ["] | [mm] | [mm] | [mm] | [mm] | [kW] | [A] | [mm2] | | | | |
| SUB4X 15-5 | n | 2 | 97 | 664 | 327 | 991 | 1.5 | 4 | 4 × 1,5 | Tip 4 | Tip 14 | 3104700405 | 703 |
| SUB4X 15-7 | n | 2 | 97 | 664 | 440 | 1104 | 2.2 | 5.9 | 4 × 1,5 | Tip 4 | Tip 14 | 3104700407 | 957 |
| SUB4X 15-10 | n | 2 | 97 | 868 | 507 | 1375 | 3 | 7.8 | 4 × 1,5 | Tip5 | Tip 15 | 3104700410 | 1.052 |
| SUB4X 15-13 | n | 2 | 97 | 1104 | 583 | 1687 | 4 | 10 | 4 × 1,5 | Tip5 | Tip 15 | 3104700413 | 1.200 |
| SUB4X 15-18 | n | 2 | 97 | 1477 | 697 | 2174 | 5.5 | 13.7 | 4 × 1,5 | Tip5 | Tip 15 | 3104700418 | 1.434 |

n - Montaj orizontal